

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	636	(269/45).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 14:58
L3	1046	(269/71).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 15:00
L4	241	(269/74).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 15:01
L5	104	(269/308).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 15:01
S1	13	((("2661053") or ("2665747") or ("3489198") or ("3522832") or ("4163468") or ("4563975") or ("4800944") or ("5170828") or ("6125904")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 09:12
S2	90	(29/802).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/20 10:20
S3	83	(29/894.31).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/18 14:27
S4	0	tire with assembly and support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 14:46
S5	10686	tire with assembly and support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 14:47
S6	2866	tire with assembly and support and adjustable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 14:48
S7	411	tire with assembly and support and adjustable and (conveyence or conveyor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 15:25
S8	935	((tire and wheel) and assembly).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 15:32
S9	65	S8 and (adjust adjusting adjustable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 15:27
S10	26	((tire and wheel) and conveyor).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 15:37
S11	0	0641680A	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 15:38

S12	6	"0641680"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 15:38
S13	20	("2661053"   "2665747"   "2817394"   "2900015"   "2900018"   "3545463"   "3978903").PN. OR ("4420026").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/19 15:39
S14	54	("2593137"   "2734225"   "2963737"   "2978741"   "2987770"   "3008180"   "3015845"   "3039839"   "3065499"   "3074109"   "3075237"   "3130446"   "3131243"   "3137032"   "3170187"   "3184794"   "3214790"   "3222715"   "3233284"   "3483596"   "3495647"   "4076473"   "4092090").PN. OR ("4169698").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/19 15:42
S15	2	("2778388").URPN.	USPAT	OR	ON	2005/10/19 15:48
S16	3	"4878887"	USPAT	OR	ON	2005/10/19 15:49
S17	5	"1763243"	USPAT	OR	ON	2005/10/19 16:02
S18	2435	Barker.in.	USPAT	OR	ON	2005/10/19 16:02
S19	0	rick-Barker.in.	USPAT	OR	ON	2005/10/19 16:02
S20	0	rick with Barker.in.	USPAT	OR	ON	2005/10/19 16:02
S21	75	adjustable near workpiece near support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 09:42
S22	465	tire same support same tread same side same fasten\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 09:43
S23	22	tire same support same tread same side same fasten\$3 and (conveyence conveyor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 09:44
S24	2204	tire same conveyor same support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 10:21
S25	2	("2778388").URPN.	USPAT	OR	ON	2005/10/20 10:53
S26	10	pin near slots same support same workpiece and (conveyor conveyence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:04
S27	0	pin near slots near support near workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:04
S28	1	pin near slots near support same workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:04
S29	10826	slot and adjustable and support and workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:06

S30	255596	slot near adjustable near support same workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:07
S31	0	slot near adjustable near support same workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:07
S32	26	slot near adjustable near support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:15
S33	846	adjustable adj slot with (pin bolt fastener screw shaft male)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:16
S34	846	adjustable adj slot with (pin bolt fastener screw shaft male) and adjustable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:16
S35	846	adjustable adj slot with (pin bolt fastener screw shaft male) same adjustable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:17
S36	615	adjustable adj slot with (pin bolt fastener screw shaft male) and support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:17
S37	355	adjustable adj slot with (pin bolt fastener screw shaft male) same support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:32
S38	20	angle with adjustable adj slot with (pin bolt fastener screw shaft male) same support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:33
S41	536	(29/559).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 09:14
S42	6	S41 and tire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/01 09:16
S43	39975	("269").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 09:16
S44	688	S43 and tire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/01 09:16

S45	234	S43 and tire and adjustable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/01 09:41
S46	6021	S43 and support and (slot slotted slit slitted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/01 09:42
S47	194	S43 and support and (slot slotted slit slitted) and tire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/01 10:04
S48	17	S43 and support near adjustable and tire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/01 10:06
S49	1074	support near adjustable and tire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/01 10:06
S50	530	support near adjustable and tire and assembly	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/01 10:06
S51	139	support near adjustable and tire and conveyor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/01 14:55